Nola Arcoleo
Global Youth Institute
East Hampton High School
Country of Choice: Indonesia
Topic: Climate Change
Focus of Topic: Coastal Erosion Caused By Sea-Level Rise

Community-Managed Mangrove Food Belts: Reducing Climate-Driven Hunger in Indonesia

Introduction

Indonesia, the world's largest archipelago, is home to over 17,000 islands and hundreds of ethnic groups. Its diverse history, from powerful empires such as the Majapahit to Dutch colonial rule and independence in 1945, has shaped its multicultural society and social and economic structure, influencing food access today. Indonesia's population is approximately 270 million, and over 23 million Indonesians (8.5% of the total population) are unable to meet their dietary requirements [1]. Additionally, 123.4 million Indonesians (about 43.5% of the total population) cannot afford a healthy and nutritious diet, resulting in further malnutrition [13]. Child stunting has also become a significant concern because of this issue, especially in children under the age of five [1]. The intensifying issue of climate change has worsened food insecurity through rising sea levels, flooding, and more frequent extreme weather events. Coastal communities are especially vulnerable, as erosion damages farmland and reduces access to freshwater and fisheries [1][2]. Indonesia is a major producer of staple foods like rice and corn, and fisheries are essential for protein intake. Therefore, disruptions caused by climate change threaten not only some people's livelihoods but also national food availability and economic stability.

Country

Indonesia is geographically and culturally diverse, with thousands of islands stretching across Southeast Asia. The country encompasses densely populated islands such as Java, resource-rich regions like Sumatra and Kalimantan, and thousands of smaller coastal and low-lying islands. Approximately 56% of Indonesia's total 270 million people live in urban areas, while 44% reside in rural regions. Compared to urban populations, rural communities are far more likely to depend on agriculture and fishing for their livelihoods [1]. Family size typically ranges from four to five people in rural areas, while urban families tend to be smaller, averaging three to four people. Staple foods in the Indonesian diet include rice, corn, cassava, vegetables, and fish, with rice as the primary source of calories. While the national diet can be

nutritionally fulfilling, many families struggle to consistently access protein-rich foods and fresh produce, particularly in low-income and rural communities [1][3].

Indonesia is a presidential representative democratic republic, currently led by President Joko Widodo. Government policies play an important role in agricultural development and food distribution throughout the country, though regional inequality remains a challenge. President Widodo has implemented programs such as mangrove planting to aid in protecting coastal communities, but the implementation of these policies varies widely across the country [4]. Approximately 30% of Indonesia's land is cultivated, with the most significant crops being rice, corn, palm oil, cocoa, and coffee [5]. Most farms are smallholder operations, usually between one and three hectares in size, making farmers highly dependent on stable environmental conditions [5]. Rural employment is primarily centered on farming, fishing, and informal labor, while urban employment centers on manufacturing, retail, transportation, and service industries. Infrastructure such as access to clean water, roads, and electricity is significantly more developed and accessible in urban areas than in rural and coastal regions, furthering inequalities in food access and economic opportunity [1][6].

Climate Change and Its Impact

Climate change has intensified food insecurity in Indonesia, especially through its impact on coastal erosion and sea-level rise. As a country with one of the longest coastlines in the world, measuring about 34,000 linear miles, Indonesia is especially vulnerable to rising seas, which are gradually eroding farmland and settlements [12]. Many coastal communities are subject to regular tidal flooding that reduces the amount of farmable land available and damages crop fields [2][7]. Saltwater intrusion has also become a major problem in low-lying agricultural regions, contaminating freshwater supplies and reducing rice paddy productivity. Farmers in these areas often find that their land cannot be cultivated after repeated flooding, forcing them to either adapt or abandon traditional farming practices.

In addition to sea-level rise, stronger storms and seasonal flooding have increased erosion and damaged infrastructure, including irrigation systems, roads, and fishing ports, further disrupting food production and distribution across coastal regions [7][8]. The impacts of coastal erosion extend beyond agricultural land to fishing communities that rely on stable marine ecosystems for their livelihoods. Rising ocean temperatures and habitat degradation reduce fish populations, limiting overall access to the essential protein source that fish are to many Indonesian families [3][7]. These environmental changes do not affect everyone equally. Smallholder farmers, fishers, women, and children are often impacted the most because of their lack of financial resources, technology, and support to adapt to changing conditions [3]. As food production declines in coastal regions, food prices increase, making nutritious diets less affordable for low-income households [9]. Over time, the loss of farmland and livelihoods leads to rural-to-urban migration, placing additional pressure on urban food systems. Together, these climate-driven challenges demonstrate how coastal erosion acts as a connector between climate

change and food insecurity in Indonesia, threatening both local livelihoods and national food stability.

Exploring Solutions

Climate change is one of the most severe threats to food insecurity in Indonesia, particularly in low-lying regions where millions of people depend on agriculture and fisheries for their livelihoods and overall survival [1][7]. Rising sea levels, increased coastal erosion, and saltwater intrusion are the principal results that come from climate change, impacting the population's lack of food by degrading rice paddies, contaminating freshwater supplies, and reducing fish stocks [3][9]. As a result, when exploring solutions, any effective fix for this issue must have both an environmental protection and food production aspect to it, while also remaining accessible to coastal and rural communities that often lack financial and technological resources to do so [1][8].

Mangrove forests act as natural barriers that absorb wave energy, reduce storm surge, and slow shoreline erosion, making them a proven nature-based solution to climate impacts [2][10]. The structure of mangroves, specifically their dense roots, helps to prevent saltwater from intruding into agricultural land and freshwater sources by trapping sediments and stabilizing coastlines. Indonesia has already recognized the potential of this plant in aiding its food stability, with national leaders encouraging mangrove planting as a protective strategy for coastal livelihoods [4][5].



Figure 1: This image displays a restored mangrove coastline with replanted trees stabilizing the shoreline and rebuilding natural habitat. This illustrates how mangrove restoration physically rebuilds eroded coasts. As the trees mature, their roots trap sediment, reduce wave energy, and create the protected conditions needed for fish and crab populations to return. ("Young Mangrove Forest at Seaside," Dreamstime).

Beyond coastal protection, mangroves play a crucial role in food systems by serving as breeding and nursery grounds for fish, crabs, and shellfish, increasing local food availability, especially protein sources, which many Indonesians are in dire need of [11]. Mangrove food belts support the growth of small fish and crabs because the tangled root systems create calm and sheltered water where young species can hide from predators. Leaves that fall from mangroves decompose into nutrients that feed plankton, which then feed young fish and crabs. These areas act as natural nurseries, making them ideal places to grow these species.

Integrated mangrove-aquaculture systems allow communities to farm fish, shrimp, or crabs while maintaining healthy mangrove ecosystems [6][11]. Cultivating seaweed within mangrove areas provides an additional, fast-growing food source that is also extremely resilient to climate stress and can be sold for higher income in order to improve household food access [6][11].

Indonesia is not the only country that has been experiencing climate-driven food insecurity. Neighboring Southeast Asian countries such as Vietnam and the Philippines have also been facing similar challenges [9]. Similar approaches have been tried in neighboring countries as well. In Vietnam's Mekong Delta, mangrove-shrimp systems funded by the World Bank and national ministries used climate-adaptation grants to support farmers. Many households experienced higher incomes and better storm protection, but early projects failed when shrimp were stocked too densely, and disease spread. Later programs lowered stocking rates and invested in community monitoring, which improved results.

In the Philippines, mangrove restoration combined with crab fattening and seaweed farming was financed by local governments and NGOs. These projects improved diets and created new jobs, especially for women, yet some collapsed, one donor funding ended, and maintenance plans were missing. These cases show that costs, long-term funding, and community ownership all determine how successful the outcome of such projects will be. If applied in Indonesia, stronger local cooperatives and guaranteed markets would be needed to avoid the same mistakes.

The primary reason for this absence of results is that while mangrove restoration has shown success in the past, many projects eventually fail due to a lack of long-term maintenance, community ownership, or economic incentives [6][8]. Additionally, restoration efforts that focus only on environmental goals often overlook nutrition and livelihoods, limiting their impact on food security [3]. This highlights the need for a more integrated, people-centered approach to the solution that directly addresses mangrove protection with food production and income generation [6][8].

Proposed Recommendation

The most effective solution is the creation of Community-Managed Mangrove Food Belts, which combine coastal protection with food production and economic resilience. This

approach expands on traditional mangrove restoration by designing mangrove zones to support fisheries, aquaculture, and climate-resilient livelihoods [6][10].

Mangrove Food Belts would be restored along extremely vulnerable coastlines using native mangrove species to maximize survival and ecosystem benefits [2][10]. Within these restored areas, communities would implement small-scale aquaculture, specifically fish, crabs, and shellfish, as well as seaweed farming to create reliable food and income sources [6][11]. The mangrove food belts will support small fish and crabs because their root systems work as a protective habitat from predators and strong currents. These areas are also perfect for aquaculture because the decomposing mangrove leaves naturally feed the food chain, and the brackish water already provides filtered, oxygen-rich conditions for growth. Local residents would receive training, tools, and long-term management rights, which would ensure stewardship and sustainability [4][5]. Tools needed would include mangrove seedlings, bamboo stakes, ropes, crab boxes, small fish cages, seaweed lines, water-quality test kits, and simple boats and nets for harvest.



Figure 2: This image shows an example of a small-scale aquaculture operating within mangrove forests, similar to how crab pens and seaweed lines would be placed between mangrove roots. The layout demonstrates how food production can occur without clearing mangroves. Structures such as crab boxes or seaweed ropes can be positioned in the calm channels between roots, allowing communities to harvest protein while the ecosystem remains intact ("Oyster Farmers Collect Oysters in the Mangroves," Food and Agriculture Organization of the United Nations (FAO)).

Environmentally, the project would reduce erosion, storm damage, and saltwater intrusion, protecting farmland and freshwater supplies [7][10]. Nutritionally, increased access to fish and seaweed would improve protein and micronutrient intake, especially for children and vulnerable populations [1][13]. Economically, diversified coastal livelihoods would increase household incomes and improve long-term food access [1][6]. Overall, this solution would help Indonesia's food security struggles greatly.

The project would be led by local fishing and farming communities, ensuring that cultural relevance and local knowledge are central to implementation [4][5]. This would help to ensure everyone becomes involved and engaged in the process. National government agencies would be involved as well, providing policy support and technical guidance, while international organizations such as WFP and other development partners would assist in the funding and monitoring aspects [1][6][8].

When looking at the big questions of what resources are needed and who is going to fund such a large project, a few main components come up. Initial resources needed include mangrove seedlings, aquaculture equipment, training programs, and monitoring systems [2][6][10]. Funding could come from a mix of Indonesian climate initiatives, internal donors, and UN development programs focused on food security and resilience [1][6][8].

There would be some major policies required to do this project, particularly strong legal protections for restored mangroves in order to prevent future deforestation and misuse [10][11]. Policies granting community management rights and integrating mangrove food systems into national food security and climate strategies would be necessary to support long-term success.

Coastal stewardship and fishing are both extremely deeply rooted in Indonesian culture, making community-led mangrove management a socially acceptable and effective solution [4][5]. Cooperative traditions and local leadership structures will support the collective responsibility for shared resources, also increasing project success [5].

When considering the timing of this solution, mangrove ecosystems take at least five years to mature, so positive outcomes will not be immediately apparent [14]. However, while the mangroves are still growing, community cooperatives would be in coordination with aquaculture production and resource management, supporting food production greatly and quickly [14]. In addition, the long-term monitoring and enforcement of the mangrove ecosystems would prevent both overharvesting and mangrove degradation, supporting the sustainability of this solution, as well.

Mangroves are self-regenerating once established, using naturally dispersed propagules (young mangrove seedlings) to reproduce and expand under suitable environmental conditions, making this solution low-cost and durable over time [10][11]. This ability to naturally regenerate, combined with Indonesia's extensive existing mangrove forests and restoration programs, also makes the solution highly scalable. Indonesia has approximately 3.4 million hectares of mangrove forests, accounting for more than 20% of the world's total mangrove area [10]. Their widespread distribution throughout the Indonesian archipelago makes them a practical foundation for coastal restoration and community-based food systems [10].

There are a few limitations to this solution in that mangrove ecosystems take time to mature, meaning that the benefits are more gradual rather than immediate, but this just means people need to stick with it instead of giving it up when they don't see immediate results, which is very doable [10]. On the same page, long-term monitoring and enforcement are also required to prevent degradation or illegal cleaning [6][11]. Overall, government and community cooperation is essential for lasting success [8].

Conclusion

In conclusion, climate change is a significant threat to Indonesia's food security, particularly through coastal erosion, saltwater intrusion from sea level rise, and the degradation of fisheries. While past restoration efforts have mainly addressed environmental concerns, the proposed solution of integrating mangrove protection with aquaculture and livelihood strategies offers a more sustainable solution in helping the environment and the country's food production. Community-Managged Mangrove Food Belts protect ecosystems, increase access to protein-rich foods, and provide economic resilience for vulnerable coastal communities. By combining local leadership, government support, and international aid, Indonesia can strengthen both its environmental and food systems. This approach addresses the immediate impact of climate change as well as aiding in long-term sustainability, helping secure food access for future generations [1][2][5][6][10][11].

Works Cited

1. World Food Programme. “Indonesia.” *World Food Programme*, 2024, www.wfp.org/countries/indonesia
2. Eco-Business. “Indonesian Islanders Plant Mangroves, Seek Justice as Seas Rise.” *Eco-Business*, 2024, www.eco-business.com/news/indonesian-islanders-plant-mangroves-seek-justice-as-seas-rise/
3. UNICEF Indonesia. *Climate Change and Nutrition in Indonesia*. UNICEF, 2023, www.unicef.org/indonesia/nutrition/reports/climate-change-and-nutrition-indonesia
4. Antara News. “President Asks Fishers to Plant Mangroves in Coastal Areas.” *ANTARA News*, 2024, en.antaranews.com/news/293958/president-asks-fishers-to-plant-mangroves-in-coastal-areas.
5. Juliannisa, Indri Arrafi, et al. “Regional Vulnerability to Food Insecurity: The Case of Indonesia.” *Sustainability*, vol. 17, no. 11, 23 May 2025, article 4800, MDPI, https://doi.org/10.3390/su17114800
6. Japan International Cooperation Agency. *Open JICA Report* (PDF). JICA, openjicareport.jica.go.jp/pdf/12114286_06.pdf.
7. Oxfam Australia. “Indonesia: Rising Sea Levels.” *Oxfam Australia*, 2024, www.oxfam.org.au/blog/indonesia-rising-sea-levels/
8. United Nations Indonesia. “WFP Indonesia Seasonal Monitoring Bulletin October–December (Q4 2023).” *United Nations in Indonesia*, 2023, indonesia.un.org/en/262565-wfp-indonesia-seasonal-monitoring-bulletin-october-december-q4-2023.
9. The Diplomat. “Indonesia Embraces New Thinking amid Rice Crisis.” *The Diplomat*, Feb. 2024, thediplomat.com/2024/02/indonesia-embraces-new-thinking-amid-rice-crisis/.
10. World Bank. “Planting Mangrove Forests Is Paying Off in Indonesia.” *World Bank*, 30 Nov. 2023, www.worldbank.org/en/news/feature/2023/11/30/planting-mangrove-forests-is-paying-off-in-indonesia
11. ResearchGate. “Seasonal Nutrient Contribution of Mangrove Aquatic Foods to Fisher Households in West Kalimantan, Indonesia.” *ResearchGate*, 2024, www.researchgate.net/publication/391703079_Seasonal_nutrient_contribution_of_mangrove_aquatic_foods_to_fisher_households_in_West_Kalimantan_Indonesia
12. Economic Times. “Countries with the Longest Coastlines in the World: Indonesia (54,716 km).” *The Economic Times*, 2024, economictimes.indiatimes.com/nri/visit/countries-with-the-longest-coastlines-in-the-world/indonesia-54716-km/slideshow/121927618.cms.

13. Food and Agriculture Organization of the United Nations. “On World Food Day, FAO Calls for Collective Actions to Deliver Healthy Food for All Indonesians.” *FAO*, 2024, www.fao.org/indonesia/news/detail/on-world-food-day--fao-calls-for-collective-actions-to-deliver-healthy-food-for-all-indonesians/en
14. Sagala, Phidju Marrin, Rupesh K. Bhomia, and Daniel Murdiyarso. “Assessment of Coastal Vulnerability to Support Mangrove Restoration in the Northern Coast of Java, Indonesia.” *Regional Studies in Marine Science*, vol. 70, 2024, article 103383, https://doi.org/10.1016/j.rsma.2024.103383

Figures Cited

Figure 1.) Dreamstime. “Young Mangrove Forest at Seaside.” *Dreamstime*, images.takeshape.io/86ce9525-f5f2-4e97-81ba-54e8ce933da7/dev/36a7f527-78fd-4875-80a9-08ff49980cca/Young%20mangrove%20forest%20at%20seaside%20dreamstime.jpeg.

Figure 2.) Food and Agriculture Organization of the United Nations. “Oyster Farmers Collect Oysters in the Mangroves.” *FAO*, www.fao.org/images/faogcflibraries/banner-images/oyster-farmers-collect-oysters-in-the-mangroves.jpg